



ITW

GRE 100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Grecco Group Art Unit: 2622
Serial No.: 10/825,770 Examiner:
Filed: April 16, 2004
Title: GLASS PLATE HOLDER FOR SCANNERS

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 CFR § 1.56, Applicants request that the reference cited in the accompanying Form PTO/SB/08A be considered by the examiner in the above-entitled application and made of record therein. A copy of the cited references are enclosed.

Respectfully submitted,

August 4, 2004
Date

Eric Lerner
Registration No. 46,054

OSTRAGER CHONG FLAHERTY & BROITMAN
250 Park Avenue
New York, NY 10117-0899
(212) 681-0600

CERTIFICATE OF MAILING

he undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on the date set forth below.

August 4, 2004
Date

Eric A. Lerner
Reg. No. 46,054

Please type a plus sign (+) inside this box →

PTO/SB/08A (10-96)

Approved for use through 10/31/99. OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet	1	of	2
-------	---	----	---

Application Number	10/825.770
--------------------	------------

Filing Date	April 16, 2004
-------------	----------------

First Named Inventor	Michael Grecco
----------------------	----------------

Group Art Unit	2622
----------------	------

Examiner Name

Attorney Docket Number	GRE 100
------------------------	---------

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]Examiner
Signature

/Henry Dahbour/

Date Considered

04/14/2008

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:** Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → +

PTO/SB/08A (10-96)

Approved for use through 10/31/99. OMB 0651-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 2 of 2

Complete if Known

Application Number	10/825,770
Filing Date	April 16, 2004
First Named Inventor	Michale Grecco
Group Art Unit	
Examiner Name	
Attorney Docket Number	GRE 100

OTHER PRIOR ART -- NON PATENT LITERATURE DOCUMENTS

Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/H.D./	A	imaging-resource.com, NIKON SUPER COOLSCAN 8000 ED FILM AND SLIDE SCANNER	
/H.D./	B	imagingciences.com, KAMI MOUNTING FLUID	
/H.D./	C	West Coast Imaging, HOW WE PREPARE YOUR IMAGES FOR SCANNING	

Examiner
Signature

/Henry Dahbour/

Date
Considered

04/14/2008

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.